

include, for example, PTFE, fluorinated ethylene-propylene (FEP), tetrafluoroethylene-ethylene (ETFE) copolymers, tetrafluoroethyleneperfluoroalkoxy (PFA) copolymers, poly(vinyl fluoride) (PVF) and poly (vinylidene fluoride) (PVDF).

IN THE CLAIMS:

Please replace claims 3-6, 8-12, 14-17, 19 and 20 with the following

Please replace claims 3-6, 8-12, 14-17, 19 and 20 with the following			
		amended claims.	
	1	3. (Amended) A substrate according to claim 1, wherein the	
	2	fluorinated hydrocarbon polymer comprises one or more non-ion-conducting	
	3	polymer(s).	
	1	4. (Amended) A substrate according to claim 3, wherein the	
	2	non-ion-conducting polymer is selected from the group consisting of	
	3	polyetrafluoroethylene (PTFE), fluorinated ethylene-propylene (FEP),	
	4	tetrafluorethylene-ethylene (ETFE) copolymers, poly(vinylfluoride) (PVF) and	
	5	poly(vinylidinefluoride) (PVDF).	
	1	5. (Amended) A substrate according to claim 1, wherein the	
	2	silica comprises a colloidal silica and the polymer comprises PTFE.	
	1	6. (Amended) A substrate according to claim 1, wherein the	
	2	ratio of silica to polymer is in the range of from 95:5% to 5:95% based on w/w	
	3	solid materials in the binder mixture.	
C14	1	8. (Amended) A substrate according to claim 7 wherein the	
	2	ratio of silica to polymer is about 50:50%, based on w/w solid materials in the	
	3	binder mixture.	
	1	9. (Amended) A substrate according to claim 1, wherein the	
	2	mixed binder is in the form of a dilute aqueous dispersion.	
	1	10. (Amended) A substrate according to claim 9 wherein the	
	2	difute aqueous dispersion has about 10wt% solids in the aqueous solution.	
		V	

1 11. (Amended) A substrate according to clair	n 1, wherein the
2 fibres comprise at least one of glass or silica.	
1 12. (Amended) A substrate according to clair	n 1, wherein the
2 fibres have a diameter in the range of from 0.1μm to 50μm.	•
1 14. (Amended) A membrane according to cla	im 13 which, when
	•
3 area.	-1070 viidingo in itu
1 (Amended) A process for preparing a por	ous substrate
1	
	e of a substrate,
2 comprising the steps or	
dispersing fibres in water to form a slurry	
depositing the slurry onto a mesh bed to fo	orm a fibre
5 network,	
drying and compacting the fibre network;	and)
(d) applying, before or after step (c), a dispers	sion of a binder
polymer.	
(Amended) A process for the manufacture	of a memberne
F	of a mentorane,
thereafter	um 16; and,
	h a polymeric
material to produce a membrane.	
19. (Amended) A membrane electrode assemb	ly comprising a
1 2 3 1 2 3 4 5 5 7 3 P 1 2 3 5 5	fibres comprise at least one of glass or silica. 12. (Amended) A substrate according to claim fibres have a diameter in the range of from 0.1μm to 50μm. 14. (Amended) A membrane according to claim dried then boiled in water undergoes less than or equal to about area. 15. (Amended) A process for preparing a por according to claim 1, which process comprises applying an aque silica and a fluorinated hydrocarbon polymer to a porous matrix 16. (Amended) A process for the manufacture comprising the steps of (a) dispersing fibres in water to form a slurry; (b) depositing the slurry onto a mesh bed to form the fibre network; (c) drying and compacting the fibre network; (d) applying, before or after step (c), a dispersion comprising both silica and a fluorinated hypolymer. 17. (Amended) A process for the manufacture comprising the steps of (i) forming a porous substrate according to claim thereafter; impregnating the fibre matrix substrate with material to produce a membrane.

1 19. (Amended) A membrane electrode assembly comprising a composite membrane according to claim 13.

9,6

20. (Amended) A fuel cell comprising a composite membrane

according to claim 13.

Please add the following new claims:

21. (Newly Added) A membrane according to claim 14, wherein said membrane undergoes less than or equal to about $\pm 10\%$ change in area.

2

(Newly Added) A membrane according to claim 14, wherein 22.

said membrane undergoes an expansion in area of about 0 to about 6%.

23. (Newly Added) A process according to claim 17, wherein and mixed amorphous silica fibres are randomly oriented in said porous substrate.

Respectfully submitted.

Christopher R. Lewis, Reg. No. 36,201

Attorney for Applicants

CRL/lrb

Dated: April 16, 2001

Suite 301

One Westlakes, Berwyn

P.O. Box 980

Valley Forge, PA 19482-0980

(610) 407-0700

EXPRESS MAIL Mailing Label No.: EL751749185US Date of Deposit: April 16, 2001

I hereby certify that this paper and fee are being deposited, under 37 C.F.R. § 1.10 and with sufficient postage, using the "Express Mail Post Office to Addressee" service of the United States Postal Service on the date indicated above and that the deposit is addressed to the Assistant Commissioner for Patents, Washington D.C. 20231.

Solomon James

The Assistant Commissioner for Patents is hereby authorized to charge payment to Deposit Account No. 18-0350 of any fees associated with this communication.

U